

Framework for a complete migration from a relational database RDB to an object relational database ORDB

Alae EL Alami, Mohamed Bahaj

Department of Mathematics and Computer Science University Hassan I
Faculty of Sciences and Techniques
Settat, Morocco

elalamialae@gmail.com, mohamedbahaj@gmail.com

Abstract

This paper discusses the overall migration of the relational database to the basics of object-relational database, showing highlights and low points of the relational model, why having a migration and how to proceed this migration.

The Framework begins with the semantic enrichment to a new model containing all the principle of the object concepts including inheritance, then determine the physical schema of the object relational database, from these two points we realize the migration of the data of the relational model towards the object relational model, knowing that the whole migration is made in an automatic way without the interference of the human factor.

Keywords: *ORDB, RDB, Schema Migration, Data Migration, Semantic Enrichment.*

1. Introduction

The relational model is one of the simplest models because it is considered as logical model record-base, consists of tables called relations, and relationships are the only structures of the model. But this simplicity penalizes the model due to the fact that there is only one concept, hence the birth of the object-relational model. the object-relational model provides a broader and more complex modeling because it incorporates new concepts, data encapsulation, the creation of new types, use of complex relationships (inheritance, aggregation, composition, association), and the use of Lob large object [6].

Several approaches discuss the passage of the relational database to the basics of object-relational database, an approach that takes the relational database and stores it in a tabular format structured according to several criteria including cardinality, as a way of reverse engineering of the relational model to a conceptual data model, and establish the

translation [1]. An approach that is based on the semantic enrichment which results in a table that contains the minimum information for the completion of the migration, the entire process takes place in an automatic way, in order to have to the final physical object relational schema equivalent to the relational database [3].

Approaches that discusses the migration of relational database to the basics of object-relational database; based on the design made from the UML, to provide guidelines for designers and developers of database applications for more effective implementation [4] [5].

A migration that shows the passage of data from a relational database to an object relational database, which is based upon methods to optimize the selection and integration of data [7] [8].

Approaches that discuss the migration of relational databases to the basics of object-relational database while using the collections, preserving collections in aggregations, compositions and associations [9] [11].

This article shows all stages of transition from a relational database to the target object relational that starts with the semantic enrichment, then the creation of the physical schema and finally data migration.

2. Semantic Enrichment

The migration approach starts with the realization of semantic enrichment, which is based on the implementation of some data structure and metadata to simplify the interpretation of the system [1].with treatment and metadata, NDM is realized

(new data model) which transforms the scheme of a relational database in a table form with the necessary information, that differentiates the relational model of the object-relational model, with the emergence of the concepts of inheritance, aggregation, composition, and association.

NDM will be defined as a collection of class:

NDM: = {C | C: = (cn, degree, cls, a, contributor)}

Cn =the name of the class.

Degree = first degree (the tables that contain PK) | 2nd degree (the tables that contain FK without PK).

Cls=aggregation, association, inheritance, simple class (the class that does not belong to the other classifications).

Contributor=class list.

A=attribute:={a | a := (an, t, tag, l, n, d)}
 (An :name of the attribute, T:type of the attribute, Tag: primary key(PK) | foreign key(FK),L: length of the attribute, N:if the attribute takes the parameter null, D:the default value of the attribute)

Cn	Degree	Classification	Attribute						Contributor		
			An	Type	tag	l	N	D			
Person	1 st	inherBy	Pno	Varchar	PK		N		Kids Works_on Trainee Employ		
			Pname	Varchar			N				
			Bdate	Date			N				
			Address	Varchar		255	N				
			Dno	Int	FK		N		Dept		
			PnoSup	Varchar	FK		Y		Person		
			Trainee	2eme	Inherts	Pno	Varchar	FK		N	Person
						Level	Varchar			N	
Type	Varchar						N				

Fig. 1 NDM fragment generated from the RDB

3. Schema Translation

Translating the physical relational schema to a physical relational schema object is proceeds with some rules that respects the SQL standard 3, respecting the passage of data definition language and data manipulation language including insertion and selection queries of SQL to quering complex objects SQL3.

Creating types proceeds as follows:

```
CREATE [OR REPLACE] TYPE nameRDB1_Type
```

```
AS OBJECT
(column1 type1, column2 type2,...)
NOT FINAL
/
CREATE [OR REPLACE] TYPE nameRDB2_Type
under nameRDB_type
(column1 type1, column2 type2,nameRDB1_t
nameRDB1_type,...)
FINAL
```

Creating tables proceeds as follows:

```
CREATE TABLE [schema.]nameTable OF
[schema.] nameType

[(column [DEFAULT expression]

[ constraintOnLine
constraintOnLine]...

| constraintREFOnLine ]

| { constraintOffline |
constraintREFOffline }

[,column... ] )

;
```

4. Data Migration

The migration of the data of a RDB towards an ORDB is based on the NDM which is extracted from the RDB, and according to the degree and the classification a request of insertion is established which adapts itself to any complex situation of insertion; for the selection; a request is realized which will also make the selection in an automatic way further to the name extracted from the NDM and which crosses in parameter in the query.

The request selection in combination with the Java language is as follows:

```
public String[][] selectAll(String tableName)
{
    String req = "SELECT * FROM " +
    tableName;
    try
    {
        Statement sql =
        db.createStatement();
```

```
ResultSet rs =
sql.executeQuery(req);
ResultSetMetaData rsm =
rs.getMetaData();
int columns =
rsm.getColumnCount();
String data[][];
rs.last(); int
rows = rs.getRow() + 1;
data = new String[rows][columns];

for (int i = 1; i <=columns; i++)
{
    data[0][i-1] =
rsm.getColumnName(i);
}
int row = 1;
rs.beforeFirst();
while (rs.next())
{
    for (int i=1;
i<=columns; i++)
    {
        data[row][i-1] =
rs.getString(i);
    }
    row++;
}
return data;
}
catch (Exception e)
{
    e.printStackTrace();
return null;
}
}
```

The entire migration is shown schematically in the figure below which shows the steps and technologies used:




Fig. 2 Framework for the migration of a RDB to an ORDB

4. Conclusions

This paper presents a Framework for migrating relational database to an object-relational database, Since the migration of physical schema passing through semantic enrichment and construction of a new data model, to data migration which begins with data extraction and insertion towards object relational physical schema target in an automatic manner, while complying with the SQL standard and rules naming, knowing that all the treatments mentioned in this paper are achieved an automatic way without the interference of the human factor.

References

[1] R. D. Hull, D. Jenkins, A. McCutchen, "Semantic Enrichment and Fusion of Multi-Intelligent Data," White Paper Modus Operandi.
 [2] A. Maatuk, A. Ali, N. Rossiter, "Semantic Enrichment: The First Phase of Relational Database Migration", In CIS2E '08, 6pp, Bridgeport, USA, 2008.
 [3] A. El Alami, M. Bahaj, "Migration of the Relational Data Base (RDB) to the Object

Relational Data Base (ORDB)", World Academy of Science, Engineering and Technology International Journal of Computer, Information Science and Engineering Vol:8 No:1, 2014.
 [4] M. Wang, "Using UML for Object-Relational Database Systems Development: A Framework", Issues in Information Systems, VOL 9, No. 2, 2008.
 [5] E S. Grant, R Chennamaneni, H Reza, "Towards analyzing UML class diagram models to object-relational database systems transformations", Proceedings of the 24th IASTED international conference on Database and applications 2006, Innsbruck, Austria, 129 - 134 .
 [6] Stonebraker, Michael, Moore and Dorothy, Object-Relational DBMSs: The Next Great Wave (Morgan Kaufmann Series in Data Management Systems) ISBN: 1558603972.
 [7] M. Bahaj & A. El Alami, "The Migration Of Data From A Relational Database (Rdb) To An Object Relational (Ordb) Database", Journal of Theoretical and Applied Information Technology 20th December 2013. Vol. 58 No.2.
 [8] Oracle Database 12c Documentation: <http://www.oracle.com/technetwo>

rk/database/enterprise-
edition/documentation/database-093888.html .

- [9] J.W. Rahayu, E. Pardede and D. Taniar, "On Using Collection for Aggregation and Association Relationships in XML Object- Relational Storage", acm symposium on applied computing , nicosia, cyprus, 2004.
- [10] Allocating enough memory and solving OutOfMemoryErrors:http://help.eclipse.org/juno/index.jsp?topic=%2Forg.eclipse.platform.doc.user%2Ftasks%2Frunning_eclipse.htm.
- [11] M. Bahaj, I. Cherti, A. Jounaidi, Y. Khourdifi, "Reengineering Relational Databases to Object-Relational Databases Using Collection", ARPN Journal of Systems and Software VOL. 4, NO. 5, August 2014 ISSN 2222-9833 .

First Author Alae ELALAMI had a master's degree in software Quality in 2011. Now he is a PhD researcher in migration of databases especially from relational to XML, ORDB, OODB,noSQL in the Department of Mathematics & Computer Sciences, University of Hassan 1er, Faculty of Sciences & Technology of Settat, Morocco. His research interests include method of analysis and planning.

Second Author Mohamed BAHAJ got his PhD in Applied Mathematics, from University of Pau, France, in 1993. He is now working as a Professor at the Department of Mathematics & Computer Sciences, University of Hassan 1er, Faculty of Sciences & Technology of Settat, Morocco. His research interests include pattern recognition, Load Balancing & Controls of mobiles agents, Semantic web & Ontology in MAS.